

Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

1 SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

INTU STRIP F / FC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Fireproof Tape.

Uses advised against: Other than those indicated above.

1.3 Details of the supplier of the safety data sheet INTUSEAL Sp. z o.o.

Ul. Kineskopowa 1,

05-500 Piaseczno, Poland Telephone: +48 22 354 69 64

E-mail of the responsible person for the safety data sheet:office@intuseal.com

1.4 Emergency telephone number

112 (emergency telephone number). 998 (Fire Brigade), 999 (Medical Rescue Service).

2 SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture*

Classification according to Regulation (EC) No 1272/2008

Physical and chemical hazards:

The mixture is not classified as posing a hazard based on its physicochemical properties.

Health hazards

The mixture is not classified as posing a health hazard. See additional labeling for more information.

Environmental hazards:

The mixture does not pose an environmental hazard. Under normal conditions of use, no known or anticipated effects on the environment are identified.

*The classification refers to the adhesive with which the tape is coated.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Not applicable.

Signal word:

Not applicable.

Hazard statement(s)

Not applicable.

Precautionary statement(s)

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Supplemental Hazard statement Code(s):

EUH208 Contains [Butyl acrylate; 2-ethylhexyl acrylate] Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)] May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3 Other hazards

The substances contained in the product do not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

The product does not contain substances included in the list established in accordance with Article 59 (1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.



Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

3 SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances:

Not applicable.

3.2 Mixtures:

Substance identifier	Name of the	Weight fraction %	Classification in line with The Regulation (EC) No. 1272/2008			
Substance identifier	substance		Signal Word Code(s)	Hazard Class and Category Code(s)	Hazard Statement Code(s)	
CAS No: 141-32-2	Butyl acrylate [1.2]	0.1 <x<0.6< td=""><td>GHS02</td><td>Flam. Liq. 3</td><td>H226</td></x<0.6<>	GHS02	Flam. Liq. 3	H226	
EC No: 205-480-7			GHS07	Skin Irrit. 2	H315	
Index No: 607-062-00-3			Wng	Eye Irrit. 2	H319	
REACH-Reg No:				Skin Sens. 1	H317	
				STOT SE 3	H335	
				Acute Tox.4	H332	
				Aquatic Chronic 3	H412	
CAS No: 103-11-7	2-ethylhexyl acrylate [1]	0.1 <x<0.5< td=""><td>GHS07</td><td>STOT SE 3</td><td>H335</td></x<0.5<>	GHS07	STOT SE 3	H335	
EC No: 203-080-7			Wng	Skin Irrit. 2	H315	
Index No: 607-107-00-7				Skin Sens. 1	H317	
REACH-Reg No:				Aquatic Chronic 3	H412	

^[1] Substance with national exposure limit in the workplace.

Full H phrases are specified in point 16 hereof.

4 SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

If inhaled: If allergic symptoms occur due to inhalation of vapors or particles, move the affected

person to fresh air and keep them at rest. Seek medical attention if symptoms persist.

In case of skin contact: In case of skin contact, especially if a skin allergic reaction is suspected (such as rashes or

irritation), remove contaminated clothing and wash the affected area thoroughly with

soap and water. If skin irritation or rash occurs, seek medical attention.

In case of eye contact: If particles or adhesive from the tape contact the eyes, rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing and

seek medical attention if irritation persists.

If swallowed: Ingestion of this product is unlikely. However, if it occurs, do not induce vomiting. Rinse

mouth with water and seek medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye contact: Possible redness, burning sensation, tearing.

Skin contact: In susceptible people itching, inflammation, an allergic reaction.

Ingestion: May cause irritation of the mucous membranes of gastrointestinal tract, nausea,

vomiting.

Inhalation: Possible irritation of the mucous membranes of respiratory system.

4.3 Indication of any immediate medical attention and special treatment needed

Physician makes a decision regarding further medical treatment after thoroughly examination of the injured. Treat symptomatically.

^[2] Substance with European Union level exposure limit in the workplace.



Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

5 SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media:

Carbon dioxide, extinguishing powder, extinguishing foam, water spray.

Unsuitable extinguishing media:

Water jet - risk of fire propagation.

5.2 Special hazards arising from the substance or mixture

During the combustion, toxic gases may be generated, such as carbon monoxide, organic vapors, etc. Do not inhale combustion products, it may cause health risk.

5.3 Advice for firefighters

Personal protection typical in case of fire. Do not stay in the fire zone without self-contained breathing apparatus and protective clothing resistant to chemicals. Do not let extinguishing water to reach drainage system, surface water and groundwater. Collect used extinguishing media.

6 SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Handle in accordance with good occupational hygiene and safety practices. Restrict access to unauthorized persons to the accident area until the completion of the appropriate cleaning operations. In the case of large leaks, isolate the affected area. Avoid direct contact with the released product. Avoid inhaling vapors. Use personal protective equipment. Avoid contact with eyes and skin. Provide adequate ventilation.

For emergency responders

Ensure that breakdown and its results are only trained personnel. Use personal protective equipment.

6.2 Environmental precautions

In case of release of large amounts of the product, it is necessary to take appropriate steps to prevent it from spreading into the environment. Notify relevant emergency services.

6.3 Methods and material for containment and cleaning up

For waste resulting from the tape, collect and dispose of it in an appropriate waste container. Avoid leaving remnants of the product in the environment. Any residues of adhesive or other contaminants should be removed using suitable cleaning agents, taking care to prevent further contamination.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

7 SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

The tape should be used in well-ventilated areas, avoiding direct contact with skin and eyes. Use appropriate personal protective equipment if necessary. Wash hands thoroughly after handling the tape.

7.2 Conditions for safe storage, including any incompatibilities

Store the tape in a cool, dry place, away from direct sunlight and extreme temperatures. Keep the tape in its original container or an equivalent, properly labeled.

7.3 Specific end use(s)

No information about uses other than mentioned in subsection 1.2.

8 SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION



Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

8.1 Control parameters

Switzerland

38

Control parameters												
n-Butyl acrylate ['												
	Limit value -			Limit v	ralue -							
	ppm	mg/m		ppm		mg/m	3					
Belgium	2	11	10 (1)		53 (1)							
Denmark	2	11	4		22							
European Union	2	11	10 (1)		53 (1)							
Finland	2	11	10 (1)		53 (1)							
France	2	11	10		53							
Germany (AGS)	2 (1)	11 (1)	4 (1)(2)	22 (1)(2)						
Germany (DFG)	2 (1)	11 (1)	4 (1)(2)	22 (1)(2)						
Hungary		11			53 (1)							
Ireland	2	11	10 (1)		53 (1)							
Italy	2	11	10 (1)		53 (1)							
Latvia	2	11	10 (1)		53 (1)							
Norway	2	11										
Poland	11		30 (1)									
Romania	2	11	10 (1)		53 (1)							
Spain	2	11	10 (1)		53 (1)							
Sweden	2	11	10 (1)		53 (1)							
Switzerland	2	11	4		22							
The Netherlands	2	11	10 (1)		53 (1)							
United Kingdom	1	5	5 (1)		26 (1)							
Remarks					. ,							
	5 minutes avera	ge valu	9									
European Union	(1) 15 minute	_		e Bold-t	vpe: In	dicative	Occur	ational	Exposu	re Limi	it Value	(IOELV)
~ (for references se			•		, ,		'		•			,
	5 minutes avera		9									
France Italic type: I		_										
Germany (AGS)	(1) Skin (2) 1!			age valu	e						-	
Germany (DFG)	(1) Skin (2) 15											
	5 minutes avera			9								
Ireland (1) 15 minut												
	es average valu											
Latvia (1) 15 minut												
New Zealand (1) 1			<u> </u>									
Poland (1) 15 minut			<u> </u>									
	5 minutes avera											
Spain (1) 15 minut												
	5 minutes avera		2									
The Netherlands	(1) 15 minute			<u> </u>								
United Kingdom												
United Kingdom (1) 15 minutes average value 2-Ethylhexyl acrylate [103-11-7]												
Limit value - Eight hours Limit value - Short term												
		mg/m			aiue -	mg/m						
Austria	ppm 10	1119/11	82	ppm	10[1]	1119/111	82[1]					
Germany (AGS)5[1]	38[1]	3 2	5[1.2]	10[1]	38[1.2]						
(DFG)												
, ,	5[1]	38[1]		5[1.2]		38[1.2]					-	
Latvia		25(1)				70[1 2]						
Poland		35[1]				70[1.2]						

38



Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

Remarks			
Austria(1) Ceiling limit value			
Germany (AGS)	(1) Inhalable aerosol and vapour (2) 15 minutes reference period		
Germany (DFG)	(1) Inhalable fraction and vapour (2) 15 minutes average value		
Poland (1) Skin (2) 15 minutes average value			

Recommended control procedures

Procedures concerning the control over the dangerous components concentrations in the air and control over the air quality in the workplace – if they are available and justified for the position – in accordance with the European Standards, with the conditions within the exposure place and a proper test methodology adapted to the working conditions.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure adequate ventilation and airtightness of the technological process involving finely divided product.

8.2.2 Individual protection measures, such as personal protective equipment

Appropriate engineering controls:

Observe good occupational hygiene and safety practices. Do not eat, drink or smoke when using the product. Wash hands thoroughly before breaks and after work.

Individual protection measures, such as personal protective equipment

The necessity to use and selection of appropriate personal protective equipment should take into account the type of risk created by the product, conditions at the workplace and the manner of handling the product. The personal protective equipment used must meet the requirements of Regulation (EU) 2016/425 and the relevant standards.

Hand and body protection

Use gloves resistant to the product (e.g. made from butyl rubber). In case of short term contact use protective gloves with effectivness level 2 or higher (permeation time > 30 minutes). In case of long term contact use protective gloves with effectivness level 6 (permeation time > 480 minutes).

When using protective gloves during work with chemical products, it should be noted that the efficacy levels and corresponding breakthrough times do not indicate actual times of protection at a particular workplace, because the protection can be affected by many factors, e.g. temperature, other substances etc. If there are any signs of degradation, damage or change in appearance (colour, flexibility, shape), it is recommended to replace the gloves with a new pair. Please follow the manufacturer's instructions, not only in terms of gloves' usage, but also in terms of their cleaning, maintenance and storage. It is also important to know how to take off the gloves in order to avoid hands contamination.

Eye/face protection

Use tightly fitting protective glasses or face protection if risk assessment indicates that it is necessary (EN 166).

Respiratory protection:

Respiratory protective equipment should only be required for work in extreme conditions. In the event of such occurrences, consult the manufacturer of such equipment.

8.2.3 Environmental exposure controls

Avoid environment contamination, do not empty into drains. Possible emissions from the ventilation systems and processing equipment should be controlled in order to determinate their compatibility with environmental protection regulations.

9 SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state: Solid

Colour: Dark graphite.

Odour: Odorless or slightly acetic.



Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

Melting point/freezing point: Data not available Boiling point or initial boiling point and boiling range: Data not available. Flammability: Data not available. Lower and upper explosion limit: Data not available. Flash point: Data not available. Auto-ignition temperature: Data not available. Decomposition temperature: Data not available. Data not available pH: Kinematic viscosity: Data not available. Dynamic viscosity: Data not available.

Solubility: Data not available.
Partition coefficient n-octanol/water (log value): Data not available.
Vapour pressure: Data not available.

Density and/or relative density: 1,2 g/cm³

Relative vapour density:

Particle characteristics:

Data not available.

Data not available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

No additional test results.

9.2.2 Other safety characteristics

No additional test results.

10 SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Stable under recommended storage and usage conditions.

10.3 Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

Strong acids. Strong bases.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute Toxicity:

ATE MIX oral (mg/kg): >2000 Based on available data, classification criteria are not met.

ATE MIX dermal (mg/kg):>2000 Based on available data, classification criteria are not met.

ATE_{MIX} inhalation (mg/l/4h): >20 Based on available data, classification criteria are not met.

*ATEmix value was calculated using relevant converted acute toxicity point estimate included in 3.1.2 table from Regulation 1272/2008/EC.

Skin corrosion/irritation:

Based on available information, classification criteria are not met.

Serious eye damage/irritation:

Based on available information, classification criteria are not met.



Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

Respiratory or skin sensitisation

EUH208 Contains [Butyl acrylate; 2-ethylhexyl acrylate] Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)] May produce an allergic reaction.

Germ cell mutagenicity

Based on available information, classification criteria are not met.

Carcinogenicity

Based on available information, classification criteria are not met.

Reproductive toxicity

Based on available information, classification criteria are not met.

STOT-single exposure:

Based on available information, classification criteria are not met.

STOT-repeated exposure;

Based on available information, classification criteria are not met.

Aspiration hazard

Based on available information, classification criteria are not met.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Eye contact: Possible redness, burning sensation, tearing.

Skin contact: In susceptible people itching, inflammation, an allergic reaction.

Ingestion: May cause irritation of the mucous membranes of gastrointestinal tract, nausea,

vomiting.

Inhalation: Possible irritation of the mucous membranes of respiratory system.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

The product does not contain substances included in the list established in accordance with Article 59 (1) for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 (3) or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

11.2.2 Other information

No data.

12 SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product toxicity

The mixture does not pose an environmental hazard. Under normal conditions of use, no known or anticipated effects on the environment are identified.

In order to minimise long-term global pollution, this should be considered:

- Reducing the use of products and disposable packaging.
- Participation in recycling activities.
- Do not allow product to enter water, sewage or soil.

12.2 Persistence and degradability

For mixtures not specified.

12.3 Bioaccumulative potential

For mixtures not specified.

12.4 Mobility in soil

The mobility of the substance depends on their hydrophilic and hydrophobic properties and abiotic and biotic conditions of soil, including its structures, climatic conditions, seasons and soil organisms, mainly (bacteria, fungi, algae, invertebrates).

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

INTUSEAL passive fire protection manufacturer

SAFETY DATA SHEET

Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

12.6 Endocrine disrupting properties

Not applicable to substances The product shall not contain ingredients included on the list established in accordance with Article 59(1) as having endocrine disrupting properties or ingredients with endocrine disrupting properties according to the criteria laid down in Regulation 2017/2100/EU or Regulation 2018/605/EU in concentrations equal to or greater than 0.1%.

12.7 Other adverse effects

The mixture is not classified as hazardous to the ozone layer. There should be considered the possibility of other harmful effects of the individual components of the mixture on the environment. (eg. the ability of disrupting endocrine, the impact of global warming potential).

13 SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

<u>Disposal methods for the product:</u> dispose in accordance with applicable regulations. Do not introduce into drains. Residues store in sealed, steel containers.

<u>Disposal methods for used packing</u>: reuse/recycle/eliminate empty containers in accordance with the local legislation. Only completely emptied packaging can be recycled.

Legal basis: Directive 2008/98/EC, 94/62/EC.

14 SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

The product is not subject to the regulations concerning the transport of dangerous goods contained in ADR (road transport), RID (rail transport), IMDG (marine transport), ICAO/IATA (air transport).

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

None (non-environmentally hazardous acc. to the dangerous goods regulations).

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

15 SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Other legislation:

- 1. **Regulation (EC) No 1907/2006** of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC as amended.
- 2. **Regulation (EC) No 1272/2008** of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Text with EEA relevance) as amended.
- 3. **Commission Regulation (EU) No 2015/830** of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (Text with EEA relevance).

INTUSEAL passive fire protection manufacturer

SAFETY DATA SHEET

Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

- 4. **Commission Regulation (EU) No 2020/878** of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- 5. **Directive 2008/98/EC** of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives as amended.
- 6. European Parliament and Council Directive **94/62/EC** of 20 December 1994 on packaging and packaging waste as amended
- 7. **Regulation (EU) 2016/425** of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (Text with EEA relevance).

15.2 Chemical safety assessment

The supplier has not assessed chemical safety It is not required for the mixture.

16 SECTION 16: OTHER INFORMATION

H (hazard) phrases specified in point 2 and 3 hereof:

H412	Harmful to aquatic life with long lasting effects.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H226	Flammable liquid and vapour.
H335	May cause respiratory irritation.
H332	Harmful if inhaled.

Explanation of returns

ATE	Acute Toxicity Estimate
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AND	European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways
CEN	European Committee for Standardisation
C&L	Classification and Labelling
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
CAS#	Chemical Abstracts Service number
CMR	Carcinogen, Mutagen, or Reproductive Toxicant
CSA	Chemical Safety Assessment
DNEL	Derived No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
ECHA	European Chemicals Agency
EC-Number	EINECS and ELINCS Number (see also EINECS and ELINCS)
EEC	European Economic Community
EINECS	European Inventory of Existing Commercial Substances
ELINCS	European List of notified Chemical Substances
GHS	Globally Harmonized System
IATA	International Air Transport Association
ICAO-TI	Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG	International Maritime Dangerous Goods
IMSBC	International Maritime Solid Bulk Cargoes
IUCLID	International Uniform Chemical Information Database
IUPAC	International Union for Pure Applied Chemistry
Know	octanol-water partition coefficient
LC50	Lethal Concentration to 50 % of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)



Date of issue: 08.01.2024

VERSION: 1.0/EN

In accordance with Regulation (WE) No. 1970/2006 (REACH), as amended by Regulation (UE) 2020/878

LoW	List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)
MSDS	Material Safety Data Sheet
OEL	Occupational Exposure Limit
PBT	Persistent, Bioaccumulative and Toxic substance
PEC	Predicted Effect Concentration
PNEC(s)	Predicted No Effect Concentration(s)
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No
	1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STOT	Specific Target Organ Toxicity
(STOT) RE	Repeated Exposure
(STOT) SE	Single Exposure
SVHC	Substances of Very High Concern
UFI	Unique Formula Identifier
UN	United Nations
vPvB	Very Persistent and Very Bioaccumulative

Training

Prior to working with the product you should be familiar with safety rules for handling the chemicals, in particular take proper workplace training.

The information above is based on a current available data concerning the product, but also on the experience and knowledge in this field of the producer. They are neither a quality description of the product nor a guarantee of particular features. They are to be treated as aid to safety in transport, storage and usage of the product. That does not free the user from the responsibility of improper usage of the information above and also of improper compliance with the law norms in the field.